

imagePROGRAF
TM-5300 | TM-5305

Canon
Delighting You Always

Performance in A Whole New Dimension



| | | | | |
|------------------------------------|-------------------|---|--------------------------------|--------------------------|
| 36" Max. Print Width | LUCIA TD ink | FINE Full-bleed Ink with Edge-to-Edge Printing | L-COA PRO | 5 pl Ink droplet size |
| Line Accuracy: +/- 0.1% or less | WiFi Connectivity | 44 dB Operating Acoustic Sound | 500 GB Hard Drive Available | MFP Available |

Quiet, Fast, Precise

The all-new imagePROGRAF TM-5300 and TM-5305 redefine printer excellence. Boost your workplace productivity with software applications that seamlessly manage and simplifies your print jobs. Featuring an all-new pigment LUCIA TD ink with superb print quality for lines and text reproduction and vibrant poster prints. Boasting an impressive 44dB acoustic sound level, the TM-5300 and TM-5305 truly lives up to the ideal that your prints should be seen, not heard.

imagePROGRAF TM-5300 and TM-5305

SILENT, RELIABLE AND ROBUST

Combining core printing technologies with a wide range of features and software solutions, these versatile 36-inch Large Format inkjet printers allow you to enjoy high-speed, accurate printing complete with vivid colours, high security, ease of use, hard disk option, all in silence.



LUCIA TD Ink
The TM Series employs the all-new five-colour pigment LUCIA TD ink, which renders unparalleled and detailed precision needed for printing CAD/ GIS files even on uncoated plain paper, producing vibrant, weather-resistant posters.



FINE Print Head
With a new 1.07-inch, 6-channel integrated FINE print head with 15,360 nozzles, the TM Series gives excellent print quality through improved uniformity of ink density and colours.



L-COA PRO Processor
Powered by the new L-COA PRO high-speed image processing chips, the TM Series delivers supreme print quality at high speeds even for big jobs.



Direct Printing
Enjoy direct printing of JPEG and PDF files through USB Flash drive anytime on the new TM Series. (Hard disk models only)



Security
The TM Series printers offers robust information security in a network environment to help prevent intrusion and leaks of confidential data.



Versatile Connectivity Including Wi-Fi Support
Equipped with connectivity inclusive of Wi-Fi Support, wireless networking will be trouble-free when connecting multiple computers to the TM Series Printers.



Software Applications for Workflow Management
Batch printing, job presets, shortcut prints can be easily and efficiently sent with Direct Print & Share. Calculate the cost of your print job with Accounting Manager to assist in your daily tasks.



Software Applications for Posters
Create professional looking posters with PosterArtist software. Packed with a variety of stock photos, templates and clip art, one can create a poster in no time, easily. Additionally, with Free Layout Plus software, users can also enjoy nesting, tiling and duplex printing features.



AutoCAD Optimized Printer Driver
AutoCAD optimized printer driver is specifically developed for Autodesk AutoCAD to enable faithful printing of drawing data created with AutoCAD.



TM-5300 MFP L36ei
Entry level MFP with L36ei scanner enables easy large format scanning and copying without a computer. The L36ei offers a fast First Copy Out Time (FCOT) thanks to automatic buffering of scanned data. Scanned data (TIFF) can be saved to a USB Flash drive while the dedicated utility ScanApp Lei will support TIFF, JPEG, PDF, Multipage PDF, PDF/A. Multiple entry level MFPS can also be connected to the same network to give maximum flexibility in your work environment. The Lei scanner encompasses the patented SingleSensor technology which is designed for optimum image capture across full scan width to give higher optical quality and alignment stability.

TM-5305 MFP T36 with 15.6" AIO PC
The TM MFP T36 solution is a powerful Scan-to-Copy/File/Email/Cloud and Print solution that combines speed and precision and comes with an All In One (AIO) PC. Equipped with a 15.6" touchscreen panel, functions like de-skew, white and black points and creating presets can be performed with ease. The T36 scanner encompasses the patented SingleSensor technology which is designed for optimum image capture across full scan width to give higher optical quality and alignment stability.

Scanner is manufactured by U.K.-based Global Scanning UK Ltd.



Silent Printing
During operation, the imagePROGRAF TM Series boasts a quiet acoustic sound level of only 44dB; thus enabling it to even fit in small offices without a fuss.



Ease of Use
The new and intuitive User Interface Operation with Colour Touch Panel gives immediate access to most commonly used functions. On-screen help for changing inks, QR codes for video assistance on loading media or clearing paper jams allows anyone to operate the printers with ease.



Environment
TM Series printers has slashed energy consumption with a low-power standby mode which is nearly 28% lower than the current model. Additionally, yearly CO₂ emissions are also about 24% lower, which makes a significant difference in conserving electricity.

SPECIFICATIONS

| PRINTER | TM-5300 | TM-5305 |
|--|---|---|
| Printer Type | 5 Colour 36" | |
| Number of Nozzles | 15,360 nozzles (MBK: 5,120 nozzles; BK, C, M, Y 2,560 nozzles each) | |
| Print Resolution (Max) | 2400 x 1200dpi | |
| Nozzle Pitch | 1200dpi (2lines) | |
| Line Accuracy | ±0.1% or less | |
| Ink Droplet Size | Minimum 5 Picoliter per colour | |
| Ink Capacity | 130ml/300ml (MBK, BK, C, M, Y); Bundled Starter Ink: 130ml (MBK)/ 90ml (BK, C, M, Y) | |
| Ink Type | Pigment inks/ 5 colour MBK, BK, C, M, Y | |
| Printer Languages | SG Raster (Swift Graphic Raster), HP-GL/2, HP RTL, JPEG (Ver JFIF1.02) | SG Raster (Swift Graphic Raster), HP-GL/2, HP RTL, PDF (Ver 1.7), JPEG (Ver JFIF1.02) |
| Standard Interfaces | USB B Port Built in (High-Speed USB), Full Speed (12 Mbit/sec), High Speed (480 Mbit/sec), Bulk Transfer, Series B (4 pins); Not available | |
| | USB A Port USB Memory (Direct Print); Gigabit Ethernet Built in, IEEE 802.3 10base-T, IEEE 802.3u 100base-TX/Auto-Negotiation, IEEE 802.3ab 1000 base-T/ Auto-Negotiation, IEEE 802.3x Full Duplex, SNMP (Canon-MIB, HTTP, TCP/IP (IPv4/IPv6), ftp); Wireless LAN IEEE802.11n/ IEEE 802.11g/ IEEE 802.11b, WEP (64/128bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES) | |
| Memory | Standard Memory 2GB | Standard Memory 128GB (Physical Memory 2GB) |
| Hard Disk | Not Available | 500GB |
| PRINTING SPEED (A0 SIZE) | | |
| Plain Paper (CAD Drawings) | 00:40 Fast (Custom Q5) 00:48 Fast 01:14 Standard | |
| Heavyweight Coated Paper HG (CAD Drawings) | 00:47 Fast (Custom Q5) 01:11 Fast 02:18 Standard | |
| Plain Paper (Poster) | 00:44 Fast (Custom Q5) 00:44 Fast 01:18 Standard | |
| Heavyweight Coated Paper HG (Poster) | 01:41 Fast 02:36 Standard | |
| MEDIA HANDLING | | |
| Media Width | Roll Paper/Cut Sheet: 203.2~917mm | |
| Media Thickness | Roll Paper/Cut Sheet: 0.07~0.8mm | |
| Minimum Printable Length | Roll Paper: 203.2mm, Cut Sheet: 279.4mm | |
| Maximum Printable Length | Roll Paper: 18m (Varies according to the OS and application), Cut Sheet: 1.6m | |
| Maximum Media Roll Outer Diameter | 150mm or less | |
| Paper Feed Method | Roll Paper: One Roll, Upper-loading, Front Output; Cut Sheet: Upper-loading, Front Output (Manual feed using media locking lever) | |
| Borderless Printing Width (Roll Only) | Recommended 515mm (JIS B2), 728mm (JIS B1), 594mm (ISO A1), 841mm (ISO A0), 10", 14", 17", 24", 36" Printable 257mm (JIS B4), 297mm (ISO A3), 329mm (ISO A3+), 420mm (ISO A2), 8", 12", 16", 20", 30", 300mm, 500mm, 600mm, 800mm | |
| Media Output (SD-32) | Standard Position: 1 Sheet, Folding Position: 20 sheets on A1 portrait and A0 portrait, Flat Position: 20 sheets on A1 landscape and A2 landscape | |

| PRINTER | TM-5300 | TM-5305 |
|--|---|---|
| DIMENSIONS & WEIGHT | | |
| Packaged Dimensions W x D x H (mm) / Weight (kg) | Printer (Main Unit with Stand and Pallet) 1462 x 913 x 961mm, Weight: 105kg | |
| Physical Dimensions W x D x H (mm) / Weight (kg) | Main Unit + Stand + Basket Basket Opened: 1289 x 887 x 1060mm Basket Closed: 1289 x 757 x 1060mm TM-5300 Weight: 60kg TM-5305 Weight: 61kg (including Roll Holder Set, excluding ink and print head) | |
| POWER AND OPERATING REQUIREMENTS | | |
| Power Supply | AC 100-240V (50-60Hz) | |
| Power Consumption | Operation: 69W or less; Sleep Mode: 3.6W or less; Power Off: 0.3W or less | |
| Operating Environment | Temperature: 15°C~30°C, Humidity: 10%~80% RH (no dew condensation) | |
| Acoustic Sound | Acoustic Power Operation: 6.0 Bels (Plain paper, line drawing, standard mode) (Measured on ISO7779 standard) Acoustic Pressure Operation: 44dB(A) (Plain paper, line drawing, standard mode) Standby : 35dB(A) or less (Measured on ISO7779 standard) | |
| OPTIONS | | |
| 2/3" Roll Holder | RH2-35 | |
| CONSUMABLES | | |
| Ink Tank | PFI-8120 (130ml)/ PFI-8320 (300ml) | |
| Print Head | PF-06 | |
| Cutter Blade | CT-08 | |
| Maintenance Cartridge | MC-31 | |
| SCANNER* | | |
| Scanner Type | L36ei | T36 with 15.6" AIO PC |
| Scan Width | 36" (914mm) | 36" (914mm) |
| Min Scan Width | 6" (150mm) | 6" (150mm) |
| Max Scan Length | 109" (2768mm) | 8m (JPEG/PDF); 15.2m (TIFF) |
| Scan Speed (inches/ second) | Copy Draft: 300/300dpi, 1ips (Col), 3ips (B&W) Standard: 300/600dpi, 1ips (Col), 3ips (B&W) Best: 600/600dpi, 0.5ips (Col), 1.5ips (B&W) Scan Draft: 200dpi, 1ips (Col), 3ips (B&W) Standard: 300dpi, 0.5ips (Col), 1.5ips (B&W) Best: 600dpi, 0.33ips (Col), 1ips (B&W) | Copy/ Scan Max scan speed for RGB copying at 200pi = 6ips. Max scan speed for RGB scanning at 200dpi = 3ips. Max scan speed for B&W copying at 200dpi = 13ips |
| Optical Resolution | 600dpi | 1200dpi |
| Max Document Thickness | 0.5mm | 2.0mm |
| PC & Software Included | No PC, ScanApp Lei Software | 15.6" AIO PC with SmartWorks MFP Software |
| Software Features | Scan, Copy, JPG, PDF, PDF/A, Multipage PDF file formats, Scan To PC, Scan to USB | Scan, Copy, Print, Preview Edit, PDF, PDF/A, Multipage PDF, User Accounts, Job Log, Collated Set, Custom Paper Sizes, Adjust JPEG Compression, Presets Definition |
| Dimension W x D x H (mm) / Weight (kg) | 1238 x 253 x 131mm / 6.56kg | 1109 x 367 x 161mm / 15kg |

*Scanner is manufactured by U.K.-based Global Scanning UK Ltd.

Canon
Delighting You Always

CANON SINGAPORE PTE. LTD.
1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522
Tel : 65-6799-8888 | Fax : 65-6799-8882 | www.canon-asia.com



SCAN HERE FOR MORE INFO

CANON BUSINESS PARTNER / DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.

Warning: Unauthorised recording of copyrighted materials may infringe on the rights of copyright owners and be contrary to copyright laws.